

Source: Gowans 1967 in Brown et al., 2000.

## Regional Soils Map

Jewett Creek Integrated Farm Plan





























JN.0T063.01 8/01

— Farm Fields

— Sacramento River Conservation Area Boundary

EXHIBIT 5a



	<b>AcA</b> Altamont clay, terrace, 0 to 3 % slopes		<b>HI</b> Hillgate silt loam, 0 to 3 % slopes
	<b>AcB</b> Altamont clay, terrace, 3 to 10 % slopes		<b>KpA</b> Kimball loam, 0 to 3 % slopes
	<b>Af</b> Anita Clay, moderately deep		<b>Lo</b> Los Robles loam, 0 to 3 % slopes
	<b>Ag</b> Anita Clay, deep		<b>Mf</b> Maywood loam, high terrace, 0 to 3 % slopes
	<b>Au</b> Arbuckle gravelly fine sandy loam, 0 to 3 % slopes		<b>Mx</b> Moda loam, 0 to 3 % slopes
	<b>AvA</b> Arbuckle gravelly loam, 0 to 3 % slopes		<b>My</b> Molinas fine sandy loam
	<b>Ay</b> Arbuckle gravelly loam, clayey substratum, channeled		<b>Mzt</b> Molinas complex, channeled
	<b>CmA</b> Columbia fine sandy loam, 0 to 3 % slopes		<b>NrB</b> Newville gravelly loam, 3 to 10 % slopes
	<b>Cn</b> Columbia fine sandy loam, moderately deep, 0 to 3 % slopes		<b>PkA</b> Perkins gravelly loam, 0 to 3 % slopes
	<b>Co</b> Columbia loam, 0 to 3 % slopes		<b>RnA</b> Redding gravelly loam, 0 to 3 % slopes
	<b>CsA</b> Columbia silt loam, 0 to 3 % slopes		<b>Rr</b> Riverwash
	<b>CsB</b> Columbia silt loam, 3 to 8 % slopes		<b>TaA</b> Tehama loam, 0 to 3 % slopes
	<b>Ct</b> Columbia silt loam, moderately deep, 0 to 3 % slopes		<b>Tc</b> Tehama silt loam, 0 to 3 % slopes
	<b>Cu</b> Columbia complex, channeled, 0 to 8 % slopes		<b>TtB</b> Tuscan clay loam, 1 to 8 % slopes
	<b>CwB</b> Corning gravelly loam, 3 to 8 % slopes		<b>VnA</b> Vina loam, 0 to 3 % slopes
	<b>Czs</b> Cortina very gravelly fine sandy loam, 0 to 3 % slopes		<b>W</b> Water
	<b>Fa</b> Farwell clay loam, 0 to 3 % slopes		<b>Zm</b> Zamora silt loam, 0 to 3 % slopes
	<b>HgA</b> Hillgate loam, 0 to 3 % slopes		

Source: Gowans 1967 in Brown et al., 2000.

## Regional Soils Map Index

Jewett Creek Integrated Farm Plan

JN 07063.01 8/01